


WESTERN MOTORS SERVICE * DC MOTORS from 6V thru 72V

PLACE
STAMP

WESTERN MOTORS SER. & MFG.
1211 23rd AVE.
ROCKFORD, IL. 61104 USA



PLACE MAILING
LABEL HERE
(NORTH)



* FALL / WINTER 2015/2016 * NEWSLETTER / FLYER *



Check out the complete new 2015 catalog on our web site with search options at www.wms1.com
Or email us at westernmotors@wms1.com



DE FRAME GASKET
FOR WESTERN AND
FISHER SNOW PLOW
MOTORS


PART # WG-994

NEW 2015 / 2016 MOTORS & PARTS CATALOG

*Our new updated 2015 Catalog has over
400 pages of DC motors and parts and
is available delivered for \$25.00*

*Also available at "No Cost" is the
downloadable version of the 2015 catalog
which has fast & easy to use search options.*

Call or email for a free download!



PHONE TOLL FREE 800-810-0401 or call 815-986-2214 <> FAX 815-986-2566

ITEMS IN STOCK ARE SHIPPED THE SAME DAY VIA. UPS IF ORDERED BY 3 PM (C.S.T.)

OPEN ACCOUNTS ARE AVAILABLE WITH APPROVED CREDIT <> WE ALSO SHIP ** COD / VISA / MC / DISCOVER / AMEX **

**** Notice **** We now offer shipping via USPS, SPEE-DEE Delivery Service & UPS **
Spee-Dee is next day to, IL / IA / WI & certain area's in MN & NE ask about shipping to your area.

**“WMS” PART NUMBER W-8085**

* 12V * (CCW) 3” DIAMETER MOTOR
SLOT SHAFT MOTOR WITH 0.256 SLOT (.8KW)

REPLACES , 240024, W8085, 39200485

(APPLICATIONS)

(MTE PUMPS, BLIZZARD SNOW PLOWS)

(MOTOR IS 5.5” LONG)

**“WMS” PART NUMBER, W-6832**

12V 3” DIAMETER “PM”

SLOT SHAFT SPREADER MOTOR

REPLACES, W8832, 3006832, BP801-G01

(APPLICATIONS)

(3” DIA. BUYERS SPREADER)

(Motor is 4.5” long)

(Mounting flange has 3” centers)

(The shaft slot is 0.100 / 2.54mm wide)

(Connector wires are 11” / 279.4mm long)

**“WMS” PART NUMBER W-8015**

* 12V* DBB * (2) POST SPREADER MOTOR *
FOR SNO-WAY STYLE

1/3 & 1/2 HP SALT SPREADER MOTORS
SHAFT DIAMETER IS .5”, SHAFT LENGTH IS 2”


REPLACES NUMBERS,

113-0675092046, 96105846,
301217182D, 3D1217182D ETC.

(APPLICATION)

(SNO-WAY 6 & 9 RECEIVER SALT SPREADERS)

(WITH SEALS AND O-RINGS
TO HELP KEEP WATER OUT)

**“WMS” PART NUMBER W-8018**

* 12V * (3” Dia.) SPREADER MOTOR
FOR BUYERS EQUIP.

REPLACES NUMBERS,

EX0712, BPC12, 062804, 3005414, 3005693,
EX-0712, BP801-0058, BP801-005B, BPC-12,

(APPLICATIONS)

(BUYERS SALT SPREADERS)

(Shaft length is 1.4” Shaft diameter is .500
with flat area for a set screw)

(WITH SEALS & O RINGS TO HELP
KEEP WATER OUT)

**“WMS” PART NUMBER W-8815**

12V 3” DIAMETER (PM) MOTOR
1/2” SHAFT DIAMETER, 2” SHAFT LENGTH
FOR THE WESTERN AND FISHER STYLE SALT
SPREADER EQUIPMENT

REPLACES NUMBERS,

064953, 65416, 022-064953-7-022,
F9524A, 069616787209, 5061, 107974490221,
1220182, 1220182H, 1409019, 301220182,
301220182H, 801220182H,
301220182H, 3D-1220182H, 3D1220182,
3D12201828, 3D1220182D
(WITH SEALS AND O-RINGS)

**“WMS” NUMBER, W-8999D**

12V (CCW/DBB) SLOT SHAFT MOTOR
(2) FIELD COIL HIGH RPM MOTOR

REPLACES NUMBERS,

46-2624, 2200478, 2200820, MUE-7006,
W8999, W8999D, 39200292, 39200380,
9130450064, 016579, 9130450081
913045008112, MUE-7004, MUE-6201,
9130450032, 2200849, 2200727

(APPLICATIONS)

(ANTHONY EQUIPMENT, HALDEX/BARNES
CONCENTRIC, WALTCO, MONARCH ,
MTE HYDRAULICS)

**“WMS” PART NUMBER, W-7001**

12V (4) COIL <> 4” DIAMETER
SHAFT MOTOR FOR

EARLY MEYERS SNOW PLOWS

REPLACES NUMBERS,

MEZ6101, W7001, 22005221, MEZ7001

(APPLICATIONS)

(“EARLY” MEYER SNOW PLOWS)

(Has a half round slot in shaft to hold the
offset cam to the end of shaft)

Shaft length from the DE frame is 1.125”



“WMS” PART NUMBER, W-6206

12V (4) FIELD COIL MOTOR WITH
“INSULATED GROUND”

PLOW MOTOR WITHOUT DE FRAME

REPLACES NUMBERS,
MUE6206A, 66503, MUE-6206A, 46-4175

(APPLICATIONS)

(LATE FISHER AND WESTERN
SNOW PLOWS W/O DE FRAME)

(WITH THRU BOLTS AT THE
6 & 12 POSITION)

(For a 24V motor use W-9228D)



With ball bearing CE frames

“WMS” PART NUMBER, W-6206D

12V (4) FIELD COIL MOTOR WITH
“INSULATED GROUND”

PLOW MOTOR WITHOUT DE FRAME

REPLACES NUMBERS,
MUE6206A, 66503, MUE-6206A, 46-4175

(APPLICATIONS)

(LATE FISHER AND WESTERN
SNOW PLOWS W/O DE FRAME)

(WITH THRU BOLTS AT THE
6 & 12 POSITION)

(For a 24V motor use W-9228D)



24V

“WMS” PART NUMBER, W-9228D

24V (4) FIELD COIL MOTOR WITH
“INSULATED GROUND”

PLOW MOTOR WITHOUT DE FRAME


REPLACES NUMBERS,
W9228, W9228D

(APPLICATIONS)

(LATE FISHER AND WESTERN
SNOW PLOWS W/O DE FRAME)

(WITH THRU BOLTS AT THE
6 & 12 POSITION)

(For a 12V motor use W-6206D)



With ball bearing CE frames

“WMS” PART NUMBER, W-6306D

12V (4) FIELD COIL MOTOR WITH
“INSULATED GROUND”

PLOW MOTOR WITHOUT DE FRAME

Same as the W-6206D except for the
thru bolt position

REPLACES NUMBERS,
MUE-6306, W6306D, MUE-6306S, W6306

(APPLICATIONS)

(LATE FISHER AND WESTERN
SNOW PLOWS W/O DE FRAME)

(WITH THRU BOLTS AT THE 3 & 9 POSITION)



“WMS” PART NUMBER, MUE6306S

AMETEK PRESTOLITE MOTOR
12V (2) FIELD COIL MOTOR WITH
“INSULATED GROUND”

PLOW MOTOR WITHOUT DE FRAME

Same as the W-6206D except for the
thru bolt position

(APPLICATIONS)

(LATE FISHER AND WESTERN SNOW PLOWS
W/O DE FRAME)

(WITH THRU BOLTS AT THE 3 & 9 POSITION)



24V

“WMS” PART NUMBER, W-9228

24V (4) FIELD COIL MOTOR WITH
“INSULATED GROUND”

PLOW MOTOR WITHOUT DE FRAME

REPLACES NUMBERS,
W9228, W9228D

(APPLICATIONS)

(LATE FISHER AND WESTERN
SNOW PLOWS W/O DE FRAME)

(WITH THRU BOLTS AT THE
6 & 12 POSITION)

(For a 12V motor use W-6206D)

**“WMS” PART NUMBER, W-6800**

12V 3” DIAMETER (PM) (2) POST
SLOT SHAFT MOTOR

REPLACES NUMBERS,

2201073, 2201141, 12217, HYD12217

(APPLICATIONS)

(BOSS SNOW PLOWS)

FOR BOSS HYD12209 POWER UNIT

(Double ball bearing motor with the
two terminals out backside of CE frame)

**“WMS” PART NUMBER, W-6804**

12V 3” DIAMETER “PM” CW
SLOT SHAFT PLOW MOTOR

REPLACES NUMBERS,

W6804, W-6650, 56811, 27753, F000MM0804

(This motor has Metric 5mm thru bolts
& 5/16 X 18 Terminal posts)

(Shaft is 0.625 in diameter with a 0.200 slot)

(“Note” original motor has the
terminals on the sides of the frame)

(APPLICATIONS)

(WESTERN & FISHER SNOW PLOW
(HOMESTEADER, SUBURBANITE)

**“WMS” PART NUMBER, W-8991**

12V CW * “DBB” SNOW PLOW MOTOR

“MEYER” QUICK LIFT E-50 & E-60

SNOW PLOWS

REPLACES NUMBERS,

2529AC, W-8991Y, 15727, M2800,
MUE-6209, DCM00015, 2869AB, E-60,
W8991S, 15689, 82-7852, AMT0351, 2529AB

(APPLICATIONS)

DIAMOND & MEYER SNOW PLOWS

**“WMS” PART NUMBER, MUE6308A**

AMETEK / PRESTOLITE MOTOR

12V (CCW) “DBB” HD / 2 FIELD
SLOT SHAFT MOTOR

(SERIES COILS FOR HIGH RPM & POWER)

REPLACES NUMBERS,

S203T*5051, W8526
39200526, S203T5051

(APPLICATIONS)

(HINIKER SNOW PLOWS, MTE PUMPS)

**“WMS” PART NUMBER, W-8235**

12V (CCW) DBB
SLOT SHAFT MOTOR WITH
“INSULATED” GROUND (2) POST.

(FOUR SERIES PARALLEL COILS
FOR HIGH RPM & POWER)

REPLACES NUMBERS,

IM0159, 700-4248, AMJ-4680,
0136350013, 11.212.721, 2200975, 700-4248

(APPLICATIONS)

(CLARK, MONARCH HYDRAULICS,
BUCHER HYDRAULICS, HALDEX BARNES)

**“WMS” PART NUMBER, W-5981**

12V CW/INS “DBB” YELLOW/ORANGE
PAINTED SLOT SHAFT PLOW MOTOR

ISKRA STYLE MOTOR FOR
MEYERS QUICK LIFT PLOWS

REPLACES NUMBERS,


W-5692, AMJ4739, W-5690, W-5698,
AMJ-4739, W5692, 15829, 15841

(APPLICATION)

(FENNER FLUID POWER PUMP / SPX)

(ISKRA STYLE MOTOR FOR
THE MEYER E-57, E-57-H, E-60-H Etc.)

(HAS RECESS IN FACE OF THE DE)



“WMS” PART NUMBER, W-98987

12V (PM) SHA/MOTOR .5HP* HD (4.5” DIA.)
DBB “PM” MOTOR 5/8” SHAFT MOTOR
Has wires with connector plugs on the ends

REPLACES NUMBERS

D-6887

(APPLICATIONS)

(SP9300 & SP9500 MODEL SPREADERS)

(MOTOR IS 8.5” LONG)

(SHAFT LENGTH IS 5.8” WITH FLAT AREA)

(1/2HP) (800 RPM)

(FULL LOAD AMPS = 16)

“WMS” PART NUMBER, W-98985

12V (PM) SHAFT MOTOR .5HP* (4.5” DIA.)
DBB “PM” MOTOR 5/8” SHAFT MOTOR
W/BAR KEY (LEESON STYLE)

REPLACES NUMBERS,

C4D17NK73, A900906, 108046.00, 108047.00,
108046, 108047, 17737, 50090,
C4D17NK6B, 108051, 120Z402H/H2

(APPLICATIONS)

(CANIMEX & AIR FLOW SPREADERS)

FLO-TEC / SAND AND SALT SPREAD/MOTOR

(1/2HP) (1800 RPM)

(FULL LOAD AMPS = 40)

(OVERALL LENGTH OF MOTOR IS 8.5”

SHAFT IS 2” LONG)

LEESON STYLE OF SCOTT MOTOR W4BB-1601

**“WMS” PART NUMBER,
W4BB-1601**

12V (CW) (4.5” DIA.)
DBB “PM” MOTOR 5/8” SHAFT MOTOR
W/BAR KEY

REPLACES NUMBERS,

W4BB1601, 4BB-01601, 17737, 50090,
4BB-01601, 120Z402H/H2

(APPLICATIONS)

(CANIMEX & AIR FLOW SPREADERS)

FLO-TEC / SAND AND SALT SPREAD/MOTOR

(1/2HP) (1800 RPM)

(FULL LOAD AMPS = 40)

(OVERALL LENGTH OF MOTOR IS 10.1”

SHAFT IS 2” LONG)

SCOTT MOTOR VERSION OF A W-98985



“WMS” PART NUMBER, W-9787

12V “GOLD” (9) SPLINE (CW) MOTOR

REPLACES NUMBERS,

D-6000, DCM-0013, 1185AC, 1787AC,
520-001, 1931AC, 13850, 25169,
M-3400, FN2-0001N, MUE-6114S,
46-4048, A150265, 222423,
AMT0097, 02-1020

(APPLICATIONS)

(FENNER / SPX, SNOWAY SNOW
REMOVAL EQUIPMENT, BOSS & HINIKER
SNOW PLOWS WITH SPX / FENNER PUMP)

“WMS” PART NUMBER, W-8858

12V REP. FOR 4.8” Dia. ROCKIT CORP.

REPLACES NUMBERS,

50084, W8858,

(APPLICATIONS)

(ROCKIT CORP. & BLIZZARD
SALT & SAND SPREADERS)

(WITH SEALS AND O-RINGS
TO HELP KEEP WATER OUT)

(Shaft diameter is .625 with bar key slot)

(Shaft length is 1.5”) (985 RPM)

“WMS” PART NUMBER, W-8805

12V REP. FOR 4.8” Dia. MEYERS AND BUYERS

REPLACES NUMBERS,

M-2100, M-5000, W-8800, 4854420M048HM,
M4854420HM02223, 485440, 690-060,
0462800108, 9107, LMY0002, 36218, 0202000,
430-21001, 26232A, B422340X6329


(APPLICATIONS)

(MEYERS, BUYERS, ETC. SALT SPREADERS)

(WITH SEALS AND O-RINGS
TO HELP KEEP WATER OUT)

(Shaft diameter is .511 with woodruff key)

(Shaft length is 1.2”) (985 RPM)



Armature has a single slot across the CE of shaft showing it is for the GKR6104A type generator.

“WMS” PART NUMBER, WA-734N

“NEW” *12V* BALL BEARING ARMATURE USE’S 6-203 BALL BEARING ON BOTH ENDS FOR GOODALL GEN/NUMBERS, 79370, 79371, 79373, 79375, GKR-6104AS, GKR-6104A




PART NUMBER, GKR6105 & A

(“DBB” GOODALL STARTING UNIT GENERATORS, REDEVCO, GOODALL) REP. GKR-6104S, GKR6104A, 10626 GKR-6104A, 79-373, GKR-6104, 79373

Original Ametek Generator

Groove cut into the field frame identifies this as a GKR6105



With ball bearing CE frame

“WMS” PART NUMBER, W-8994D

12V “ CW (4) FIELD COILS”


REPLACES NUMBERS,

MUE-6103, MUE-7001, 540-002, MM18896, PR2-0058N, DCM0011, MUE-6111, M-3000, 50133, 54133, 56058, 56062, 56133, 56398, 56410, 58058, 8501, 58082, 46-2473, 46-2584, 46-3938, 9130450036, 9130450083, A-5819

(APPLICATIONS)

(WESTERN SNOW PLOWS)

(This motor has a ball bearing CE frame & a bushing DE frame with seals & O-rings)



Armature has a crisscross slot across the CE of shaft showing it is for the GKR6105 generator.

“WMS” PART NUMBER, WA-6105N

“NEW” *12V* BALL BEARING ARMATURE USE’S 6-203 BALL BEARING ON BOTH ENDS FOR GOODALL GEN/NUMBER, GKR-6105, GKR6105S, GKR6105



Part # WB-1179

Part # WB-1180

REPLACES NUMBERS,

GJH-1032S, GJH-2012C, GJH-2012CS

FOR GENERATOR NUMBERS, GKR-6104A GKR-6104S, GKR-6104AS, GKR-6105

L - .645 <> W -- .695 <> T - .345 <> LL --2.50 LONG

FOR BRUSH HOLDER WITH SPRINGS ORDER

“WMS” PART NUMBER, MDL1064AD



“WMS” PART NUMBER, W-6294

12V (4) FIELD COIL MOTOR WITH “INSULATED GROUND”

REPLACES NUMBERS,

10725N, 10757, 160-841A, 21500K, 51050, 538-6852, W6294, 6294, 91300450099, F006MM0504, LPL0045, AMT-0601

(APPLICATIONS)

(FISHER AND WESTERN SNOW PLOWS WITH/DRIVE END FRAME)

(This motor has a ball bearing CE frame & a bushing DE frame with seals & O-rings)



MOTOR COVER PROTECTS MOTORS FROM RAIN, SNOW . FOR THE 3” DIA. MOTOR

“WMS” PART # SRMC



MOTOR COVER PROTECTS MOTORS FROM RAIN, SNOW . FOR THE 4.5” DIA. MOTOR

“WMS” PART # RMC



“WMS” PART NUMBER, W-8940

12V (4) coil snow plow motor with exposed slot shaft.

REPLACES, W-9240, 1020, 25556, 46-806, 6067, 82-6853, 8570, 540-007, DCM-0012, PR2-0063N, M-2900, AND MEZ-7002

(APPLICATIONS)

(EARLY WESTERN SNOW PLOWS)

****For other distributors in your area call us toll free at 1-800-810-0401****



We also carry a variety of quality switches from Iskra, Ametek Prestolite, SPX, Trombetta etc.

| | | | | | |
|--|--|--|---|---|--|
| ALABAMA Manville Electric Birmingham, AL. 800-423-2857 | ALABAMA B & B Auto Crane Mentone, AL. 256-634-4000 | ALASKA Auto Electric Sales Anchorage, AK. 800-478-2606 | CALIFORNIA Alex Auto Electric Bloomington, CA. 909-877-1314 | CALIFORNIA R & T Liftgate Fontana, CA. 909-350-3751 | CONNECTICUT Precision Devices Wallingford, CT. 800-242-2117 |
| FLORIDA Battery USA Orlando, FL. 407-737-6695 | GEORGIA Warfield Electric Conyers, GA. 800-476-1222 | GEORGIA Turbo Diesel & El. Forest Park, GA. 800-241-4389 | GEORGIA Nash HD Truck Parts Athens, GA. 706-549-7914 | ILLINOIS Forest City Auto El Rockford, IL. 800-336-7737 | ILLINOIS P & G Keene Elect. Bridgeview, IL. 800-443-5770 |
| ILLINOIS Master Motor Reb Addison, IL. 800-368-8558 | ILLINOIS Int. Winding Inc Villa Park, IL. 800-323-7521 | ILLINOIS Ram Tech. Group Bolingbrook, IL. 630-409-9454 | INDIANA Vans Rebuilt Ser. Indianapolis, IN. 800-428-4049 | MASSACHUSETTS A-1 Battery & Elect. Quincy, MA. 800-550-1586 | MICHIGAN Diesel Equipment Pottersville, MI. 888-769-8000 |
| MICHIGAN Dubois Marketing Allendale, MI. 800-253-5654 | MINNESOTA Alts Starters & Parts Mendota Hts., MN. 800-833-9096 | MISSOURI Warfield Electric Fenton, MO. 800-272-6000 | MISSOURI B & C Truck Elect Kansas City, MO. 800-821-5172 | MISSOURI M & M Forklift St. Louis, MO. 800-622-0069 | MISSOURI Ultimate Services Riverside, MO. 866-636-0874 |
| NEW JERSEY Metropolitan Dist Garfield, NJ. 800-562-6975 | NEW YORK D & W Diesel Auburn, NY. 800-336-7722 | NEW YORK Mondial Automotive Flushing, NY. 888-312-3327 | NO. CAROLINA American Auto Charlotte, NC. 704-333-0561 | OHIO Custom Electric Ser Cleveland, OH. 866-615-4538 | TENNESSEE A & B Inc. Nashville, TN. 800-342-1496 |
| TEXAS Alternator Service Dallas, TX. 800-527-9635 | TEXAS B & C Truck Elect. Irving, TX. 866-434-2782 | TEXAS Pearland Alternator Pearland, TX. 800-966-6672 | TEXAS Texas Alternator Austin, TX. 877-839-2581 | TEXAS Texas Alternator San Antonio, TX. 877-839-2587 | TEXAS Wood Alt & Starter Houston, TX. 877-448-0477 |
| VIRGINIA Metro HD. Dist. Roanoke, VA. 800-296-8995 | WASHINGTON Precision Auto El. Bothell, WA. 425-486-2332 | WASHINGTON Romaine Electric Kent, WA. 800-426-5005 | WISCONSIN Alstar Company Union Grove, WI. 414-427-7991 | WISCONSIN Finicki Auto Electric Madison, WI. 608-243-8730 | WISCONSIN Fondy Auto Electric Fond Du Lac, WI. 800-236-2701 |
| AUSTRALIA Call for a listing of our distributors in this country | CANADA Atelier Dynamo Terrebonne, Quebec 866-471-8679 | CANADA Brighthouse Auto El Richmond, BC 604-273-4904 | CANADA Elreg Distributors Burlington, Ontario 800-387-4078 | CANADA Newton's Electric Brampton, Ontario 800-644-1329 | NEW ZEALAND Call for a listing of our distributors in this country |

We also stock a variety of Iskra/Mahle/Letrika, Ohio, Imperial, Hannay, Scott, Ametek Prestolite motors & parts



A Kinetek Company®



A Kinetek Company®